

DynaMed[®]

Tutorial






CONFIDENCE IN PRACTICE

Português ▾



Procurar DynaMed



Cardiology

Acute Coronary Syndromes,
Stable Coronary Artery
Disease, Heart Failure

[View Specialty](#)

Oncology

Breast Cancers, Lung
Cancers, Gastrointestinal
Cancers, Lymphomas

[View Specialty](#)

Dermatology

Eczematous Dermatoses,
Malignant and Pre-malignant
Lesions, Papulosquamous...

[View Specialty](#)

Recent Updates

Recently Viewed

A DynaMed™ é uma ferramenta focada no médico, projetada para facilitar o atendimento ao paciente. É uma ferramenta eficiente e baseada em evidências. A próxima geração do DynaMed combina as informações baseadas em evidências da mais alta qualidade com uma experiência personalizada e amigável, que fornece respostas precisas rapidamente. Neste tutorial, veremos como pesquisar no DynaMed e como seguir os Tópicos e atualizações.

CONFIDENCE IN PRACTICE

English ▾



atrial




GO TO

- Atrial Fibrillation
- Atrial Fibrillation Screening
- Atrial Flutter
- Atrial Myxoma
- Atrial Septal Defects

SEARCH FOR

- atrial fibrillation
- atrial flutter
- atrial fibrillation



Cardiology

Acute Coronary Syndromes,
Stable Coronary Artery
Disease, Heart Failure

[View Specialty](#)

Dermatology

Eczematous Dermatoses,
Malignant and Pre-malignant
Lesions, Papulosquamous...

[View Specialty](#)[Recent Updates](#)[Recently Viewed](#)

Comece digitando seus termos de pesquisa na caixa de pesquisa. Enquanto você digita, a DynaMed exibe tópicos e pesquisas correspondentes aos seus termos. Selecione um tópico da DynaMed na seção **GO TO** para ir diretamente a ele ou selecione um termo de pesquisa em **SEARCH FOR** para exibir uma lista de resultados. Ou clique na **Lupa** a qualquer momento para visualizar uma lista de resultados.



SEARCH RESULTS

atrial fibrillation

[ALL \(617\)](#) [IMAGES \(23\)](#)

CONDITION

[Atrial Fibrillation](#)

It is a common arrhythmia caused by uncoordinated atrial activation and usually an irregular ventricular response.

MANAGEMENT

[Thromboembolic Prophylaxis in Atrial Fibrillation](#)

The risk of thromboembolism can be reduced by an appropriate use of antithrombotic therapy but at an increased risk of bleeding.

PROCEDURE

[Cardioversion of Atrial Fibrillation](#)

Cardioversion can be performed pharmacologically or electrically to restore normal sinus rhythm in patients with atrial fibrillation.

Use os links na parte superior para visualizar todos os resultados ou todas as imagens relacionadas aos seus termos de pesquisa. Clique no **título** para visualizar um tópico ou clique nos **três pontos verticais** para visualizar todas as seções de um Tópico.



SEARCH RESULTS

atrial fibrillation

ALL (617) **IMAGES (23)**

CONDITION

Atrial Fibrillation

It is a common arrhythmia caused by uncoordinated atrial activation and usually an irregular ventricular response.

MANAGEMENT

Thromboembolic Prophylaxis in Atrial Fibrillation

The risk of thromboembolism can be reduced by an appropriate use of antithrombotic therapy but at an increased risk of bleeding.

PROCEDURE

Cardioversion of Atrial Fibrillation

Cardioversion can be performed pharmacologically or electrically to restore normal sinus rhythm in patients with atrial fibrillation.

[Overview and Recommendations](#)[Related Summaries](#)[General Information](#)[Epidemiology](#)[Etiology and Pathogenesis](#)[History and Physical](#)[Diagnosis](#)[Management](#)[Complications and Prognosis](#)[Prevention and Screening](#)

Em seguida, clique em um dos itens para ir diretamente para a seção do tópico.

Atrial Fibrillation

TOPIC **IMAGES (6)** **UPDATES**

Overview and Recommendations

- Background
- Evaluation
- Management
- Prevention
- Related Summaries
- General Information
- Epidemiology
- Etiology and Pathogenesis
- History and Physical
- Diagnosis
- Management
- Complications and Prognosis
- Prevention and Screening

Overview and Recommendations

Background

- Atrial fibrillation (AF) is a common supraventricular tachyarrhythmia caused by uncoordinated atrial activation and associated with an irregularly irregular ventricular response.
- Causes of atrial fibrillation include an underlying structural heart disease, metabolic disorders, endocrine diseases, and certain medications.
- The prevalence of AF is approximately 1%-2% in the general population of developed countries.
- Definitions of AF:
 - Paroxysmal AF is recurrent atrial fibrillation that terminates spontaneously, lasting possibly up to 7 days, but usually < 48 hours.
 - Persistent AF is atrial fibrillation that is sustained > 7 days or requires termination by cardioversion.
 - Longstanding persistent AF is atrial fibrillation that is persistent for > 1 year.
 - Permanent AF refers to atrial fibrillation where the patient and physician agree to stop additional attempts to restore normal sinus rhythm because atrial fibrillation cannot be converted anymore.


TOPIC EDITOR ▾
Panagiotis Papageorgiou MD, PhD

RECOMMENDATIONS EDITOR ▾
Amir Qaseem MD, PhD, MHA, FACP

DEPUTY EDITOR ▾
Peter Oettgen MD

Produced in collaboration with American College of Physicians

Images in topic (6) [View all](#)



Ao visualizar um tópico da DynaMed, as atualizações mais recentes das informações podem ser visualizadas clicando em **UPDATES**.

Atrial Fibrillation

TOPIC IMAGES (6) [UPDATES](#)

Overview and Recommendations

[Background](#)[Evaluation](#)[Management](#)[Prevention](#)[Related Summaries](#)[General Information](#)[Epidemiology](#)[Etiology and Pathogenesis](#)[History and Physical](#)[Diagnosis](#)[Management](#)[Complications and Prognosis](#)[Prevention and Screening](#)

Overview and Recommendations

Background

- Atrial fibrillation (AF) is a common supraventricular tachyarrhythmia caused by uncoordinated atrial activation and associated with an irregularly irregular ventricular response.
- Causes of atrial fibrillation include an underlying structural heart disease, metabolic disorders, endocrine diseases, and certain medications.
- The prevalence of AF is approximately 1%-2% in the general population of developed countries.
- Definitions of AF:
 - Paroxysmal AF is recurrent atrial fibrillation that terminates spontaneously, lasting possibly up to 7 days, but usually < 48 hours.
 - Persistent AF is atrial fibrillation that is sustained > 7 days or requires termination by cardioversion.
 - Longstanding persistent AF is atrial fibrillation that is persistent for > 1 year.
 - Permanent AF refers to atrial fibrillation where the patient and physician agree to stop additional attempts to restore normal sinus rhythm because atrial fibrillation cannot be converted anymore.

TOPIC EDITOR

Panagiotis Papageorgiou MD, PhD

RECOMMENDATIONS EDITOR


Amir Qaseem MD, PhD, MHA,
FACP

DEPUTY EDITOR

Peter Oettgen MD

Produced in collaboration with American
College of Physicians

Images in topic (6)

[View all](#)

Para visualizar as seções individuais do registro, clique no cabeçalho desejado na coluna à esquerda.



Atrial Fibrillation

TOPIC  IMAGES (6) UPDATES

Overview and Recommendations

Background

Evaluation

Management

Prevention

Related Summaries

General Information

Epidemiology

Etiology and Pathogenesis

History and Physical

Diagnosis

Management

Complications and Prognosis

Prevention and Screening

Follow

Updates to followed content are available on DynaMed and via email.

Email Options:

- Practice-Changing Updates Only
- All Updates
- No email, please. Just show my updates on DynaMed.

Follow

Cancel

Definitions of AF:

- Paroxysmal AF is recurrent atrial fibrillation that terminates spontaneously, lasting possibly up to 7 days, but usually < 48 hours.
- Persistent AF is atrial fibrillation that is sustained > 7 days or requires termination by cardioversion.
- Longstanding persistent AF is atrial fibrillation that is persistent for > 1 year.
- Permanent AF refers to atrial fibrillation where the patient and physician agree to stop additional attempts to restore normal sinus rhythm because atrial fibrillation cannot be converted anymore.

TOPIC EDITOR

Panagiotis Papageorgiou MD, PhD

RECOMMENDATIONS EDITOR

Amir Qaseem MD, PhD, MHA, FACP

DEPUTY EDITOR

Peter Oettgen MD

Produced in collaboration with American College of Physicians



Images in topic (6)

View all

The flowchart illustrates the classification of Atrial Fibrillation (AF) into different types based on duration and treatment response. It starts with 'Atrial Fibrillation' at the top, which branches into 'Paroxysmal AF' and 'Persistent AF'. 'Paroxysmal AF' is further divided into 'Intermittent AF' and 'Permanent AF'. 'Persistent AF' is divided into 'Longstanding Persistent AF' and 'Permanent AF'. The flowchart also includes a 'Feedback' button at the bottom right.

Para seguir os tópicos da DynaMed, clique no botão **Follow** (círculo com sinal de mais dentro) e selecione uma das opções de email disponíveis. Você pode optar por receber: apenas atualizações em mudança de prática, todas as atualizações ou apenas visualizar atualizações na tela inicial do DynaMed sem receber e-mails. **Nota:** Você deve estar conectado à sua conta pessoal para seguir os tópicos.

Recent Updates

FOLLOWED

ALL

31 Dec 2019

C2HEST helps predict incident atrial fibrillation in Asian patients without structural heart disease (Chest 2019 Mar)

[View in Atrial Fibrillation](#)

13 Dec 2019

RZV may reduce risk of herpes zoster at 3 years but may increase systemic adverse events up to 30 days in adults \geq 60 years old (Cochrane Database Syst Rev 2019 Nov 7)[View in Herpes Zoster](#)

13 Dec 2019

live zoster vaccine may reduce risk of herpes zoster but increase risk of clinical or laboratory adverse events at 3 years in adults \geq 60 years old (Cochrane Database Syst Rev 2019 Nov 7)[View in Herpes Zoster](#)

28 Oct 2019

crisaborole 2% ointment may improve disease severity in patients with intertriginous, facial, or anogenital psoriasis (J Am Acad Dermatol 2019 Jul 3 early online)

[View in Psoriasis](#)

17 Sep 2019

inactivated varicella zoster virus vaccine may reduce incidence of herpes zoster in patients with solid tumor malignancies receiving chemotherapy; insufficient evidence for vaccine efficacy in patients with hematological

Recently Viewed

Atrial Fibrillation

Primary Open-angle Glaucoma

Insomnia in Adults

Fexofenadine

Acetaminophen

Postherpetic Neuralgia

Complications of Myocardial Infarction

 **FOLLOWED** Atrial Fibrillation Herpes Zoster Active Tuberculosis in Patients With HIV Infection Psoriasis

TOP

 Feedback

Voltando à tela inicial, você verá as atualizações dos tópicos seguidos em **Recent Updates**.

Você também verá uma lista completa dos tópicos seguidos, à direita, para acesso rápido em **FOLLOWED**.

Specialties ^

Calculators

About v

Mobile

Allergy
Anesthesiology and Pain Management
Cardiology
Critical Care
Dermatology
Emergency Medicine
Endocrinology
Family Medicine
Gastroenterology
Geriatrics
Gynecology
Hematology
Hospital Medicine
Immunology
Infectious Diseases
Internal Medicine
Nephrology
Neurology
Neurosurgery
Obstetric Medicine
Oncology
Ophthalmology
Oral Health
Orthopedics and Sports Medicine

Otolaryngology
Palliative Care
Pathology and Laboratory Medicine
Pediatrics
Psychiatry
Pulmonary Medicine
Rheumatology
Sleep Medicine
Surgery
Urology



Cardiology

Acute Coronary Syndromes,
Stable Coronary Artery Disease,
Heart Failure

[View Specialty](#)

Oncology

Breast Cancers, Lung Cancers,
Gastrointestinal Cancers,
Lymphomas

[View Specialty](#)

Dermatology

Eczematous Dermatoses,
Malignant and Pre-malignant
Lesions, Papulosquamous...

[View Specialty](#)

Recent Updates

FOLLOWED ALL

Recently Viewed

Atrial Fibrillation

Primary Open-angle Glaucoma

 Feedback

Para navegar pela DynaMed, clique no menu suspenso **Specialties** e selecione uma especialidade.

3 Jan 2020

cediranib may reduce lesion diameter in patients with metastatic alveolar soft-part sarcoma and progression in previous 6 months (Lancet Oncol 2019 Jul)

[View in General Management of Soft Tissue Sarcomas](#)

3 Jan 2020

maintenance therapy with olaparib plus bevacizumab after response to platinum-taxane chemotherapy plus bevacizumab increases progression-free survival compared to bevacizumab alone in women with newly diagnosed, advanced, high-grade ovarian cancer (N Engl J Med 2019 Dec 19)

[View in Chemotherapy for Advanced Ovarian, Fallopian Tube, and Primary Peritoneal Carcinoma](#)

3 Jan 2020

vitamin E acetate in bronchoalveolar-lavage fluid associated with EVALI (N Engl J Med 2019 Dec 20)

[View in Vaping](#)

[View All Updates](#)



TOP

A qualquer momento, você pode clicar no link **Help** para visualizar o guia do usuário da DynaMed.

EBSCO Health

Para obter mais ajuda, visite

O site de suporte da EBSCO

<http://connect.ebsco.com>

O Guia de Ajuda da DynaMed

<http://bit.ly/dynamed-ajuda>

e o site de Treinamentos em Português via WEBEX:

<https://ebsco-portuguese.webex.com>