



## PUBLICAÇÕES (2005 A 2010)

**2010**

Barros e Silva AE, Guerra, M. (2010) The meaning of DAPI bands observed after C-banding and FISH procedures. Biotechnic & Histochemistry, 85: 115 - 125.

Barros e Silva AE, Marques A, dos Santos KG, Guerra M. The evolution of CMA bands in Citrus and related genera. Chromosome Res. 2010 Jun;18(4):503-14.

DANTAS, L. G., GUERRA, M. (2010) Chromatin differentiation between Theobroma cacao L. and T. grandiflorum Schum. Genetics and Molecular Biology, 33: 94 - 98.

FELIX LP, GUERRA M (2010) Variation in chromosome number and the basic number of subfamily Epidendroideae (Orchidaceae). Botanical Journal of the Linnean Society, 163: 234-278

FONSECA A, FERREIRA J, DOS SANTOS TRB, Mosiolek M, Bellucci E, Kami J, Gepts P, Geffroy V, Schweizer D, DOS SANTOS KGB, PEDROSA-HARAND A. 2010. Cytogenetic map of common bean (*Phaseolus vulgaris* L.). Chromosome Research. 18:487-502. 2010. DOI 10.1007/s10577-010-9129-8

GUERRA M, CABRAL G, Cuacos M, Gonzlez-Garca M, Gonzlez-Snchez M, Vega J, Puertas MJ. Neocentrics and Holokinetics (Holocentrics): Chromosomes out of the Centromeric Rules. Cytogenet Genome Res 2010;129:82-96

MARQUES, A; ROA, F; GUERRA, M (2010) Karyotype differentiation in three species of Tripogandra Raf. (Commelinaceae) with different ploidy levels. Genetics and Molecular Biology, 33: 731-738

C. Mazzella, M. Rodríguez, M. VAIO, P. Gaiero, B. López-Carro, F.F. Santíñaque, G.A. Folle, M. GUERRA. Karyological Features of Achyrocline (Asteraceae, Gnaphalieae): Stable Karyotypes, Low DNA Content Variation and Linkage of rRNA Genes. Cytogenet Genome Res 2010;128:169-176

Moraes AP, Guerra M. 2010. Cytological differentiation between the two subgenomes of the tetraploid *Emilia fosbergii* Nicolson and its relationship with *E. sonchifolia* (L.) DC. (Asteraceae). Plant Syst Evol 287:113–118

SOUZA LGR, Crosa O, GUERRA M (2010) Karyological circumscription of Ipheion Rafinesque (Gilliesioideae, Alliaceae) Plant systematics and evolution, 287: 119-127

**2009**

BERJANO, R., ROA, F., Talavera, S., GUERRA, M. (2009) Cytotaxonomy of diploid and polyploid Aristolochia (Aristolochiaceae) species based on the distribution of CMA/DAPI bands and 5S and 45S rDNA sites. Plant Systematics and Evolution, 280: 219 - 227.

BRASILEIRO-VIDAL, A.C., MELO-OLIVEIRA, M. B., CARVALHEIRA, G. M. G., GUERRA, M. (2009) Different chromatin fractions of tomato (*Solanum lycopersicum* L.) and related species. Micron, 40: 851 - 859.

David P, CHEN NWG, PEDROSA-HARAND A, Thareau V, Svignac M, Cannon SB, Debouck D, Langin T, Geffroy V. A Nomadic Subtelomeric Disease Resistance Gene Cluster in Common Bean. *Plant Physiology* 151:1048-1065 (2009)

Geffroy, V. ; Macadre, C. ; David, P. ; PEDROSA-HARAND, A. ; Svignac, M. ; Dauga, C. ; Langin, T. . Molecular Analysis of a Large Subtelomeric Nucleotide-Binding-Site Leucine-Rich-Repeat Family in Two Representative Genotypes of the Major Gene Pools of *Phaseolus vulgaris*. *Genetics (Austin)*, v. 181, p. 405-419, 2009.

GUERRA M. Chromosomal variability and the origin of Citrus species complex (p 51-68) In: Genetic Diversity Editors: Conner L. Mahoney and Douglas A. Springer. Nova Publishers. 2009

PEDROSA-HARAND, Andrea ; Kami, James ; Gepts, Paul ; Geffroy, Valérie ; Schweizer, Dieter . Cytogenetic Mapping Of Common Bean Chromosomes Reveals A Less Compartmentalized Small-Genome Plant Species. *Chromosome Research*, V. 17, P. 405-417, 2009.

Souza, Luiz G.R., Crosa, Orfeo, Winge, Helga, GUERRA, M. (2009) The karyotype of *Nothoscordum arenarium* Herter (Gilliesioideae, Alliaceae): A populational and cytomicolecular analysis. *Genetics and Molecular Biology*, 32: 111 – 116.

## 2008

Paul Gepts, Francisco J.L. Aragão, Everaldo de Barros, Matthew W. Blair, Rosana Brondani, William Broughton, Incoronata Galasso, Gina Hernández, James Kami, Patricia Lariguet, Phillip McClean, Maeli Melotto, Phillip Miklas, Peter Pauls, ANDREA PEDROSA-HARAND, Timothy Porch, Federico Sánchez, Francesca Sparvoli, and Kangfu Yu. Genomics of *Phaseolus* beans, a major source of dietary protein and micronutrients in the tropics. In: Genomics of tropical crops plants / foreword by Deborah Delmer ; Paul H. Moore, Ray Ming, editors. New York, N.Y. : Springer Science + Business Media, 2008., p. 113-143

GUERRA, M. (2008) Chromosome numbers in plant cytotaxonomy: concepts and implications. *Cytogenetic Genome Research*, 120: 339-350.

Koehler, S., CABRAL, J. S., Whitten, W. M., Williams, N. H., Singer, R. B., Neubig, K. M., Guerra, M., Souza, A. P., Amaral, M. C. E. (2008) Molecular Phylogeny of the

Neotropical Genus Christensonella (Orchidaceae, Maxillariinae): Species Delimitation and Insights into Chromosome Evolution. Annals of Botany, 102: 491 - 507.

Moraes, A.P., Mirkov, T. E., Guerra, M. (2008) Mapping the chromosomes of Poncirus Raf. by BAC-FISH. Cytogenetic and Genome Research, 121: 277-281.

Ruas, C. F. ; Weiss-Schneeweiss, H. ; Stuessy, T. F. ; Samuel R. ; PEDROSA-HARAND, A. ; Tremetsberger, K. ; Ruas, P. M. ; Schlueter, P. M. ; Herrera, M. A. O. ; König, C. ; Matzenbacher. I. . Characterization, genomic organization and chromosomal distribution of Ty1-copia retrotransposons in species of Hypochaeris (Asteraceae). Gene (Amsterdam), v. 412, p. 39-49, 2008.

Carneiro, P. L., Malhado, C. H., Affonso, P. R. A., Euclides, R. F., Carneiro, A. P., Cunha, E. E., & Souza, L. G. (2008). Comparação de metodologias de seleção sob oscilação genética. Arq. bras. med. vet. zootec, 60(4), 932-942.

## 2007

ALMEIDA, C. C. S., CARVALHO, P.C., GUERRA, M. (2007) Karyotype differentiation among Spondias species and the putative hybrid Umbu-cajá (Anacardiaceae). Botanical Journal of the Linnean Society, 155: 541 – 547.

BRASILEIRO-VIDAL, A. C., SANTOS-SEREJO, J. A., SOARES FILHO, W. S. and GUERRA, M. (2007) A simple chromosomal marker can reliably distinguishes Poncirus from Citrus species. Genetica, 129:273-279.

MIRANDA, M., ALMEIDA, C. C. de S. and GUERRA, M. (2007) The karyotype of Araucaria angustifolia (Bertol.) Kuntze and the decondensation/activation mode of its nucleolus organizer region. Australian Journal of Botany, 55:165-170.

MORAES, A. P. de, SOARES FILHO, W. dos S. and GUERRA, M. (2007) Karyotype diversity and the origin of grapefruit. Chromosome Research, 15:115-121.

MORAES, A. P., LEMOS, R. R., BRASILEIRO-VIDAL, A. C., SOARES-FILHO, W. S., GUERRA, M. (2007) Chromosomal markers distinguish hybrids and non-hybrid accessions of mandarin. Cytogenetic and Genome Research, 119: 275 - 281.

Moscone, E. A. ; Samuel R. ; Schwarzacher T. ; Schweizer, D. ; PEDROSA-HARAND, A. . Complex rearrangements are involved in Cephalanthera (Orchidaceae) chromosome evolution. Chromosome Research, v. 15, p. 931-943, 2007.

Uanschou, C. ; Siwiec, T. ; PEDROSA-HARAND, A. ; Kerzendorfer, C. ; Sanchez-Moran, E. ; Novatchkova, M. ; Akimcheva, S. ; Woglar, A. ; Klein, F. ; Schoegelhofer, P. A novel plant gene essential for meiosis is related to the human CtIP and the yeast COM1/SAE2 gene. EMBO Journal, v. 26, p. 5061-5070, 2007

## **2006**

CABRAL, J.S., FELIX, L. P. and GUERRA, M. (2006) Heterochromatin diversity and its co-localization with 5S and 45S rDNA sites in chromossomes of four Maxillaria species (Orchidaceae). *Genetics and Molecular Biology*, 29: 659 – 664.

GUERRA, M., BRASILEIRO-VIDAL, A. C., ARANA, P. and PUERTAS, M. J. (2006) Mitotic microtubule development and histone H3 phosphorylation in the holocentric chromosomes of *Rhynchospora tenuis* (Cyperaceae). *Genetica*, 126: 1

Kerzendorfer, C. ; Vignard, J. ; PEDROSA-HARAND, A. ; Siwiec, T. ; Akimcheva, S. ; Jolivet, S. ; Sablowski, R. ; Armstrong, S. ; Schweizer, D. ; Mercier, R. The *Arabidopsis thaliana* MND1 homologue plays a key role in meiotic homologous pairing, synapsis and recombination. *Journal Of Cell Science*, V. 119, P. 2486-2496, 2006.

PEDROSA-HARAND, A., ALMEIDA, C. C. de S., MOSIOLEK, M., BLAIR, M.W., SCHWEIZER, D. and GUERRA, M. (2006) Extensive ribosomal DNA amplification during Andean common bean (*Phaseolus vulgaris* L.) evolution. *Theoretical and Applied Genetics*, 112: 933.

Carneiro, P. L. S., Malhado, C. H. M., Azevêdo, D. M. M. R., Souza, L. G. R., da Silva, D. C., Alves, A. A., ... & Júnior, G. D. S. C. (2006). Estudo de populações de ovinos Santa Inês utilizando técnicas de análise multivariada. *Revista Científica de Produção Animal*, 8(1).

de Oliveira, C. G., Carneiro, P. L. S., Malhado, C. H. M., Cunha, E. E., Euclides, R. F., Carneiro, A. P. S., & Souza, L. G. R. (2006). Endogamia em Populações de Frangos de Corte Submetidas a Diferentes Metodologias de Seleção. *Revista Científica de Produção Animal*, 8(1).

## **2005**

ACOSTA, M. C., BERNADELLO, G., GUERRA, M. and MOSCONE, E. A. (2005) Karyotype analysis in several South American species of *Solanum* and *Lycianthes rantonnei* (Solanaceae). *Taxon*, 54: 713 - 723.

ANDRADE, M. J. G. de, GIULIETTI, A. M. and GUERRA, M. (2005) Mitotic karyotype stability and meiotic irregularities in the families Loranthaceae Juss. and Viscaceae Miq. *Caryologia*, 38: 70 – 77.

BRASILEIRO-VIDAL, A. C., CUADRADO, A., BRAMMER, S. P., BENKO-ISEPPON, A. M. and GUERRA, M. (2005) Molecular cytogenetic characterization of parental genomes in the partial amphidiploid *Triticum aestivum* x *Thinopyrum ponticum*. *Genetics and Molecular Biology*, 28: 308 – 313.

BRASILEIRO-VIDAL, A. C., BRAMMER, S. P., PUERTAS, M. J., ZANATTA, A. C. A., PRESTES, A., FERNANDES, M. I. B. M. and GUERRA, M. (2005) Mitotic instability in wheat x *Thinopyrum ponticum* derivatives revealed by chromosome counting, nuclear DNA content and histone H3 phosphorylation pattern. *Plant Cell Reports*, 24: 172 - 178.

CARVALHO, R. de, SOARES FILHO, W. dos S., BRASILEIRO-VIDAL, A. C. and GUERRA, M. (2005) The relationships among lemons, limes and citron: a chromosomal comparison. *Cytogenetics and Genome Research*, 109: 276 – 282.

FÉLIX, L. P. and GUERRA, M. (2005) Basic chromosome numbers of terrestrial orchids. *Plant Systematics and Evolution*, 254: 131 – 148.

GUERRA, M. (2005) What is new on plant cytogenetics? *Genetics and Molecular Biology*, 28: 444 – 445 (book review)

Kawaguchi, M. ; PEDROSA-HARAND, A. ; Yano, K. ; Hayashi, M. ; Murooka, Y. ; Saito, K. ; Nagata, T. ; Namai, K. ; Nishida, H. ; Shibata, D. . Lotus Burttii Takes A Position Of The Third Corner In The Lotus Molecular Genetics Triangle. *Dna Research*, Tóquio, Japão, V. 12, N. 1, P. 69-77, 2005.

MARCON, A B, BARROS, I. C. L. and GUERRA, M. (2005) Variation in chromosome numbers, CMA bands and 45S rDNA sites in species of *Selaginella* (Pteridophyta). *Annals of Botany*, 95: 271 – 276.

VAIO, M., SPERANZA, P., VALLS, J. F., MAZZELA, C. and GUERRA, M. (2005) Localization of the 5S and 45S rDNA sites and cpDNA sequence analysis in species of the Quadrifaria group of *Paspalum* (Poaceae, Paniceae). *Annals of Botany*, 96: 191 - 200.